# Free standing steel stove KOZA KRATKI AB KRATKI ENYO R 5.5 kW Ø 100/150



SKU: KOZA/AB/ENYO/R EAN: 5903751211730

**€1,471.96**

## Technical data

### General data

| | |
|---|---|
| Rated output (kW) | **5.5** |
| Heating efficiency (%) | **80.5** |
| Exhaust gas temperature (°C) | **297** |
| Max length of logs (cm) | **25** |
| Color | **Black** |
| Self Closure | **Yes** |
| Door opening direction | **Left** |
| Materials | **Steel** |
| Flue outlet diameter (mm) | **150** |
| Air intake diameter (mm) | **100** |

### Energetic efficiency

| | |
|---|---|
| Energy class | **A** |
| Energy efficiency index (EEI) | **106.7** |
| Seasonal Heating efficiency (%) | **70.5** |
| Moc cieplna do ogrzewania pomieszczeń (kW) | **5.5** |
| CO emissions (at 13% O 2 ) ≤ given in % | **0.077** |
| Emisja CO (mg/m3) | **965** |
| Dust emission (mg/Nm3) | **21** |
| Emisja NOx (mg/Nm3) | **117** |
| Emisja OGC (mg/Nm3) | **103** |
| Flue gases mass flow rate (g/s) | **4** |

## Certifications / Compliance


| | |
|---|---|
| Meets requirements | **KRATKI PRO, Ecodesign, Designed for recuperation, BImSchV 2, 7* Flamme Verte** |


## Additional information


| | |
|---|---|
| Design features | **Air intake - built in , Ashpan, Combustion chamber lining** |
| Front type | **Steel front with painted glass** |
| Type of fuel | **Seasoned deciduous wood (humidity ≤20%)** |
| EAN | **5903751211730** |


## Physical parameters

| | |
|---|---|
| Width (cm) | **51** |
| Height (cm) | **113.05** |
| Depth (cm) | **43.5** |
| Weight (kg) | **124** |


Ø150
20
197,5


508
386
271
771
1130,5
310
378
510


433
Ø146
288
Ø98
435


Ø188
891
130
132

