



# CBU20S2B

Wine Cellar service

Built-under counter

## GENERAL INFORMATION

**Number of bottles : 20**
**Number of zones : 1**
**Adjustable temperature range : 5-20°C**
**Noise level : 38dB**
**Energy class : F**
**Climate class : N/ST (16-38)**
**Vinotag compatible : Yes**

## Product description

**The Wine Cellar That Elevates Your Tastings**

At just **30 cm wide**, this built-in under-counter wine cellar is the perfect ally for wine enthusiasts seeking elegance and practicality in a compact design. Its temperature zone brings your bottles to the ideal serving temperature, unlocking the full depth of their aromas.

Equipped with a **removable ventilation grille**, it ensures discreet and optimal installation, blending seamlessly into your space. Its **reversible door** adds extra flexibility to adapt perfectly to your setup, while its compatibility with the Vinotag app lets you manage your wine collection like a professional. A true combination of technology and sophistication for your finest vintages.



**ENERGETIC PERFORMANCE**
Reduce your energy consumption by choosing a device with optimal energy performance



**REVERSIBLE DOOR**
Adapt the direction of opening of the door to easily install the cellar in the location of your choice



**REMOVABLE PLINTH**
The plinths are removable and replaceable by any common perforated plinth




**VINOTAG COMPATIBLE**
Free wine cellar management application. Access a virtual representation of your cellar and a detailed inventory

# CBU20S2B

**EAN-13 -** 3595320107517

## Capacity and Temperature

- **Number of bottles: 20**
- **Adjustable temperature: 5-20°C**

## Door

**Door color :** black windows effect
**Door glass color :** Grey
**Number of glass layers :** 3
**Anti-UV :** Yes
**Low-e glass :** Yes
**Tempered glass :** Yes
**Lock :** No
**Reversible door :** Yes
**Handle type :** Pulling bar

## Security

**Child lock :** Yes
**Temperature memory :** Yes

## Logistic

**Net dimensions (WxDxH):** 29.5 x 57.0 x 82.0
**Gross dimensions (WxDxH):** 33.0 x 63.5 x 85.5
**Net weight (kg) :** 29.0
**Gross weight (kg) :** 31.0

## Technical Data

**Energy class :** F
**Annual energy (KWh/a) :** 82
**Climate class :** N/ST (16-38)
**Noise level :** 38dB / C
**Energy Efficiancy Index :** 103.7 %
**Power input :** 58.00 W
**Voltage :** 220-240 V
**Length of power cable :** 150 cm
**Plug Type :** E type
**Type of gas :** R600a
**Gas charge :** 19 g
**Mainly recyclable product :** Yes
**Type of compressor :** Standard
**Main cooling system :** Air moving system
**Charcoal filter :** 1
**Anti-vibration system :** Yes
**Adjustable feet :** 4 / 6 cm


## Light


**Light source :** LED
**Light color(s) :** White
**Dimmable light :** no
**Light switch :** yes

**Qtty per 20' :** 148
**Qtty per 40':** 303
**Qtty per 40 HC:** 387
**Customs code:** 84185090

# CBU20S2B

**EAN-13 -** 3595320107517




## Accessories

- 5 shelves, wooden, sliding

**Compatible accessories references :** FILTRE7

## Built-in information

**Built-in dimensions (WxDxH) :** 30.00 x 57.50 x 81.50
**Plumbing passage :** No
**Recessed plinth :** Yes / 29.40
**Plinth height :** 7.50
**Removable plinth :** Yes / 7.00
**Warning installation :** This product is equiped with a front ventilation system. Follow the installation instructions to ensure proper operation of the unit.