

CBU50D2B



Wine Cellar service

Built-under counter

GENERAL INFORMATION

Number of bottles : 51
Number of zones : 2
Adjustable temperature range : 5-20°C
Noise level : 36dB
Energy class : F
Climate class : SN/ST (10-38)
Vinotag compatible : Yes

Product description


The Wine Cellar That Elevates Your Tastings

This built-in under-counter wine cellar is the perfect ally for wine enthusiasts seeking elegance and practicality in a compact design. Its dual temperature zones brings your bottles to the ideal serving temperature, unlocking the full depth of their aromas.

Equipped with a **recess plinth**, it ensures discreet and optimal installation, blending seamlessly into your space.
Its **reversible door** adds extra flexibility to adapt perfectly to your setup, while its compatibility with the Vinotag app lets you manage your wine collection like a professional. A true combination of technology and sophistication for your finest vintages.



DUAL TEMPERATURE ZONE
Store and refresh all your wines at the correct temperature in the same cellar



REVERSIBLE DOOR
Adapt the direction of opening of the door to easily install the cellar in the location of your choice



LOW NOISE LEVEL
Experience tranquility with our silent wine cellar and install safely your collection at your living space



VINOTAG COMPATIBLE
Free wine cellar management application. Access a virtual representation of your cellar and a detailed inventory

CBU50D2B

EAN-13 - 3595320108118

Capacity and Temperature

- **Number of bottles: 51**
  - **Upper zone : 16**
  - **Lower zone : 35**

- **Adjustable temperature: 5-20°C**
  - **Upper zone : 5-12°C**
  - **Lower zone : 12-20°C**

Door

Door color : black windows effect
Door glass color : Grey
Number of glass layers : 2
Anti-UV : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar

Security

Child lock : No

Logistic

Net dimensions (WxDxH): 59.5 x 57.5 x 82.0
Gross dimensions (WxDxH): 65.5 x 67.5 x 86.5
Net weight (kg) : 43.0
Gross weight (kg) : 49.0

Technical Data

Energy class : F
Annual energy (KWh/a) : 116
Climate class : SN/ST (10-38)
Noise level : 36dB /
Energy Efficiancy Index : 124 %
Power input : 100.00 W
Voltage : 220-240 V
Length of power cable : 240 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 25 g
Type of compressor : Standard
Main cooling system : Air moving system
Anti-vibration system : Yes
Adjustable feet : 4 / 6.5 cm


Light

Light source : LED
Dimmable light : no
Light switch : yes

Qtty per 20' : 66
Qtty per 40': 137
Qtty per 40 HC: 159
Customs code: 84185090

CBU50D2B

EAN-13 - 3595320108118



Accessories

- 6 shelves, wooden, sliding

Compatible accessories references : FILTRE4

Built-in information

Built-in dimensions (WxDxH) : 60.50 x 57.50 x 82.50
Recessed plinth : Yes / 5.00
Plinth height : 7.30