
SİMGE
SOBA
THE
WARM
HEART OF YOUR HOME
2026



QUALITY

FOR A PRODUCT OF EXCELLENCE

SİMGE SOBA

Simge soba, 1957 yılında katı yakıtlı, kuzine ve şomine tarzında sobalar üretmek üzere kurulmuştur. Yine şirketimiz bünyesinde bulunan Hürmetal Kalıp Sanayii de, 1995 yılında şirketimizin kalıp ihtiyaçlarını karşılamak için kurulmuş olup otomotiv ve farklı sektörlerede kalıp imalatı yapmaktadır.

2005 yılından sonra firmamız doğalgaz sektöründeki eksikleri görerek, katı yakıtlı sobaların yanı sıra doğalgaz sobası imalatına da başlamıştır. Aradan geçen yıllarda kaliteyi ve müşteri memnuniyetini ön planda tutarak şuan bulunduğu marka değerine ulaşmıştır.
Şirket politikamız, soba imalatı sektörünün ihtiyaçları doğrultusunda ve yeniliklere ayak uydurarak kalitemizi ve marka değerimizi devamlı olarak üst sıralarda tutmaktır. Ürettiğimiz ürünler avrupa normlarında ce belgeli ve tse standartlarına uygun üretilmektedir. Kullandığımız malzemelerin kalitesi yaygın servis ağımız ve satış sonrası hizmet politikamızlada adımızdan söz ettirmekteyiz. Ürettiğimiz ürünleri sadece iç pazarda değil dünyanın birçok ülkesinede ihraç ederek ülke ekonomisinede katkı sağlamaktayız.

Genç, dinamik ve deneyimli çalışanlarımızla beraber şirketimizi soba sektöründe her daim üst sıralarda adından söz ettiren lider bir firma olarak görmek için elimizden gelenin en ıyısını yapmakta kararlıyız.

Simge Stoves was established in 1957 as to produce solid fuel and fireplace stoves. Hürmetal Mold Industry which is part of Simge Stove , was established in 1995 to provide high quality molds for Simge Stove products. The company started to produce natural gas stoves as well as solid fuel stoves in 2005 as Gilan Natural Gas Stoves. Since then The company manufactures solid fuel stoves,cast iron stoves,natural gas stoves and fireplaces.

All products are made in Simge Stove's own facility. Simge Stove is a well-established brand leader in the Turkish market through working with dealers and service points to achieve outstanding customer satisfaction. The company also sells its products in other countries in Asia and Europe. Through a commitment to quality, on-time delivery, competitive pricing and after-sales service, the company is rapidly expanding its market presence in other countries with its own brand and as an OEM supplier.

All products are manufactured in accordance with European TSE standarts with CE certified. The Company's trademark is healthy growth and long-term success with the goal of being have satisfied customers.

GOOD FOOD,
A WARM HEARTH,
AND ALL THE
COMFORTS OF HOME





900 NOVA

Castiron Wood Stove
Odun Yakmalı Döküm Soba

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

TECHNICAL DATA

Nominal power
9,0 kW-N


Efficiency
80 %

Dimensions (LxDxH)
710 x **460** x **735** mm

Smoke outlet diameter (Ø)
130/120/150 mm R/U

Oven size (LxDxH)
-

Net weight
94 kg











900 NOVA WITH OVEN

Castiron Wood Stove with Oven
Odun Yakmalı Fırınlı Döküm Soba

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

TECHNICAL DATA

Nominal power
9,0 kW-N


Efficiency
80 %

Dimensions (LxDxH)
710 x **460** x **735** mm

Smoke outlet diameter (Ø)
130/120/150 mm R/U

Oven size (LxDxH)
455 x **330** x **220**

Net weight
150 kg



SIMGE SOBA

P

EXPERIENCE AUTHENTIC WARMTH & COMFORT

5020-U AURA

Wood Burning Cooker
Odun Yakmalı Kuzine



CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **500** x **770** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
380 x 380 x 175 mm

Net weight
62 kg

COLOUR CHOICES
RENK SEÇENEKLERİ





STANDART EQUIPMENT
STANDART OPSİYONLAR





6020-U AURA

Wood Burning Cooker
Odun Yakmalı Kuzine



COLOUR CHOICES
RENK SEÇENEKLERİ





STANDART EQUIPMENT
STANDART OPSİYONLAR





CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
900 x **560** x **770** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
450 x 450 x 175 mm

Net weight
70 kg

PERFECT HARMONY

OF BEAUTY AND FUNCTIONALITY

701-G OMEGA

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
80 %

Dimensions (LxDxH)
870 x **510** x **790** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
450 x 455 x 175 mm

Net weight
82 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR



COLOUR CHOICES
RENK SEÇENEKLERİ



701 OMEGA

THE HEAT
YOU ARE LOOKING FOR








ALL THE WARMTH
OF YOUR KITCHEN

701 OMEGA

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
80 %

Dimensions (LxDxH)
870 x **510** x **790** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
450 x 455 x 175 mm

Net weight
82 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR



COLOUR CHOICES
RENK SEÇENEKLERİ




701-T OMEGA THERMO

Wood Burning Cooker with Water Jacket

Su ısıtmalı Odun Yakmalı Kuzine

CHARACTERISTICS

ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Rated thermal power of water / Thermal output
10,60 kW-N

Space heat output
5,55 kW-N

Maximum working pressure
1,25 Bar

Efficiency
85%

Dimensions (LxDxH)
870 x **510** x **790** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
450 x 455 x 175 mm

Net weight
106 kg





STANDART EQUIPMENT

STANDART OPSİYONLAR



COLOUR CHOICES

RENK SEÇENEKLERİ




WE HAVE BEEN KEEPING YOUR
HOME **WARM** FOR OVER
60 YEARS

7040 URUS

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
80 %

Dimensions (LxDxH)
875 x **510** x **810** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
440 x **450** x **230** mm

Net weight
82 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR



COLOUR CHOICES
RENK SEÇENEKLERİ



THE POWER OF FIRE

SHAPED BY PASSION AND TECHNOLOGY

801 STELLA

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
76 %

Dimensions (LxDxH)
910 x **525** x **770** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
390 x 450 x 230 mm

Net weight
105 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR




COLOUR CHOICES
RENK SEÇENEKLERİ



802 BELLA

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
76 %

Dimensions (LxDxH)
870 x **510** x **810** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
390 x 450 x 230 mm

Net weight
120 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR



COLOUR CHOICES
RENK SEÇENEKLERİ




5020

Wood Burning Cooking Stove

Yaylı Büyük Ateş Camlı Döküm Kuzine

COLOUR CHOICES

RENK SEÇENEKLERİ



STANDART EQUIPMENT

STANDART OPSİYONLAR



6020

TECHNICAL DATA	
Nominal power	**10,0** kW-N
Efficiency	**77** %
Dimensions (LxDxH)	**900** x **560** x **625** mm
Smoke outlet diameter (Ø)	**130** mm R/U
Oven size (LxDxH)	**450 x 455 x 175** mm
Net weight	**67** kg

5020

TECHNICAL DATA	
Nominal power	**10,0** kW-N
Efficiency	**77** %
Dimensions (LxDxH)	**825** x **500** x **625** mm
Smoke outlet diameter (Ø)	**130** mm R/U
Oven size (LxDxH)	**380 x 380 x 175** mm
Net weight	**64** kg





COLOUR CHOICES

RENK SEÇENEKLERİ

304 MINI

Wood Burning Stove

Odun Yakmalı Kurbağa Soba

ECODESIGN

TECHNICAL DATA	
Nominal power	**9,2** kW-N
Efficiency	**76** %
Dimensions (LxDxH)	315 x 441 x 635 mm
Smoke outlet diameter (Ø)	**130** mm R/U
Oven size (LxDxH)	-
Net weight	**30** kg





304-U MINI

Wood Burning Stove

Odun Yakmalı Kurbağa Soba

COLOUR CHOICES

RENK SEÇENEKLERİ







ECODESIGN

TECHNICAL DATA

Nominal power
9,2 kW-N

Efficiency
76 %

Dimensions (LxDxH)
315 x 441 x 812 mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
-

Net weight
30 kg



903 ECO

Wood Burning Stove

Odun Yakmalı Sac Soba

COLOUR CHOICES

RENK SEÇENEKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
7 kW-N

Efficiency
76 %

Dimensions (LxDxH)
370 x **320** x **750** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
-

Net weight
32 kg







904 ECO

Wood Burning Cooker
Odun Yakmalı Sac Soba

COLOUR CHOICES
RENK SEÇENEKLERİ







ECODESIGN

TECHNICAL DATA

Nominal power
10,00 kW-N

Efficiency
76 %

Dimensions (LxDxH)
460 x **400** x **910** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
-

Net weight
55 kg



905 ECO

Wood Burning Stove
Odun Yakmalı Fırınlı Sac Soba

COLOUR CHOICES
RENK SEÇENEKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
10,00 kW-N

Efficiency
76 %

Dimensions (LxDxH)
460 x **400** x **1050** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
285 x 400 x 190 mm

Net weight
60 kg






806 IGLO

Wood Burning Stove
Odun Yakmalı Soba

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
10,00 kW-N

Efficiency
80 %

Dimensions (LxDxH)
420 x **540** x **795** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)

Net weight
55 kg





COLOUR CHOICES
RENK SEÇENEKLERİ



901 PISA

ELEGANCE
AND WARMTH IN ONE










901 PISA

Fireplace Stove With Oven
Fırınlı Şömine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
6,22 kW-N

Efficiency
75 %

Dimensions (LxDxH)
470 x 400 x 1000 mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
280 x 325 x 185 mm

Net weight
79 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR





COLOUR CHOICES
RENK SEÇENEKLERİ



902 GINE

QUALITY
AND DESIGN IN ONE










902 GINE

Fireplace Stove
Şömine Soba

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
6,50 kW-N

Efficiency
75 %

Dimensions (LxDxH)
470 x **400** x **760** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
-

Net weight
72 kg





COLOUR CHOICES
RENK SEÇENEKLERİ





501

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **500** x **625** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
380 x 380 x 175 mm


Net weight
58 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR





COLOUR CHOICES
RENK SEÇENEKLERİ





501-XL
OVEN(LxDxH) 450x455x175mm
DIMENSION (LxDxH) 900 x 560 x 625mm
WEIGHT : 64 kg





501
OVEN(LxDxH) : 380x380x175mm
DIMENSION (LxDxH) : 825 x 500 x 625mm
WEIGHT : 58 kg

502

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ



TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **500** x **625** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
380 x 380 x 175 mm

Net weight
45 kg





STANDART EQUIPMENT
STANDART OPSİYONLAR





COLOUR CHOICES
RENK SEÇENEKLERİ



502-XL
OVEN(LxDxH) 450x455x175mm
DIMENSION (LxDxH) 900 x 560 x 625mm
WEIGHT : 52 kg



502
OVEN(LxDxH) : 380x380x175mm
DIMENSION (LxDxH) : 825 x 500 x 625mm
WEIGHT : 45 kg



304-U

Wood Burning Cooker
Odun Yakmalı Kuzine



COLOUR CHOICES
RENK SEÇENEKLERİ







ECODESIGN

TECHNICAL DATA

Nominal power
9,50 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **460** x **825** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
400 x 400 x 195 mm

Net weight
47 kg





304

Wood Burning Cooker
Odun Yakmalı Kuzine

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

ECODESIGN

TECHNICAL DATA

Nominal power
9,50 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **460** x **625** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
400 x 400 x 195 mm

Net weight
47 kg

COLOUR CHOICES
RENK SEÇENEKLERİ



304-XL
OVEN(LxDxH) 475x475x190mm
DIMENSION (LxDxH) 900 x 520 x 625mm
WEIGHT : 56 kg



304
OVEN(LxDxH) : 400x400x195mm
DIMENSION (LxDxH) : 825 x 460 x 625mm
WEIGHT : 47 kg

201

Wood Burning Cooker

Odun Yakmalı Kuzine

CHARACTERISTICS

ÜRÜN ÖZELLİKLERİ









201-XL

OVEN(LxDxH) 450x455x175mm
DIMENSION (LxDxH) 900 x 560 x 625mm
WEIGHT : 50 kg





201

OVEN(LxDxH) 400x400x195mm
DIMENSION (LxDxH) 825 x 460 x 625mm
WEIGHT : 42 kg

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **460** x **625** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
400 x 400 x 195 mm

Net weight
42 kg





ECODESIGN

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
825 x **460** x **625** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
400 x 400 x 195 mm

Net weight
57 kg

301

Wood Burning Cooker

Odun Yakmalı Kuzine

CHARACTERISTICS

ÜRÜN ÖZELLİKLERİ

COLOUR CHOICES

RENK SEÇENEKLERİ





301-XL

OVEN(LxDxH) 475x475x175mm
DIMENSION (LxDxH) 900 x 520 x 625mm
WEIGHT : 62 kg





301

OVEN(LxDxH) : 400x400x195mm
DIMENSION (LxDxH) : 825 x 460 x 625mm
WEIGHT : 57 kg

109

Bucket Type Stove
Halktipi Soba

CHARACTERISTICS
ÜRÜN ÖZELLİKLERİ

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
53 %

Dimensions (LxDxH)
610 x **440** x **675** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
-

Net weight
30 kg







112



110



108



111



107



1453

TECHNICAL DATA

Nominal power
9,0 kW-N

Efficiency
77 %

Dimensions (LxDxH)
850 x **450** x **560** mm

Smoke outlet diameter (Ø)
130 mm R/U

Oven size (LxDxH)
450 x 450 x 185 mm

Net weight
55 kg



STANDART EQUIPMENT
STANDART OPSİYONLAR





CERTIFICATES

CONTO TERMICO

Only for Italy: the Ministerial Decree 28/12/12, better known as “Conto Termino”, allows a specific incentive in case of replacement of old appliances by new ones with certain characteristics

DM 2017 186

Italian Regulation for the Environmental Certificate release of domestic solid fuels biomass room heaters (Classification from 1 up to 5 stars).

BlmSchV

German regulations on controlling emissions.


ECO DESIGN 2022

European certification defining the ecodesign guidelines for biomass products.

CE

CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health an environmental protection requirements.

ENERGY LABEL



As of 1st Jannuary 2018 the Energy Labelling Regulation came into force also for all the biomass heating appliances, both roomheater appliances and appliances de- signed to heat the water for central heating and domestic hot water.
This directive, in accordance with the regulations of the European Union, will assign an Energy
Efficiency Class (from G up to A++) providing the buyers with information about the consumption and the efficiency

NOTE

Due to printing reasons the reproduction of colours has to be considered only indicative.

- The fuel quantity (weight) inside the hopper and the hour consumption can change depending on the type of wood which is used.
- All the figures were measured using approved woods in compliance with EN 12815:2006
- Facing tones and characteristics are subject to slight variations because they are natural products.
- The manufacturer reserves the right to change the products without any previous notice.
- The **Simge Soba** products can be covered by industrial property rights (such as patents, designs and trademarks) owned by **Simge Soba** exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the rademarks impressed on the products and impressing others.
- m3 that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/ designer.
- Before the purchase, ask your reseller all the information regarding the appliance. One must also bear in mind all laws and national, regional, provincial and town council Standards present in the country in which the appliance has been installed, as well as the instructions contained in this manual.
- The images contained in this document are for product illustration purposes only and do not represent indications for the performance or technical characteristics of the same.
- The data in the catalogue can be rounded off to the first decimal.

“ALL THE **WARMTH** YOU ARE LOOKING FOR”



SİMGE
SOBA

DEMİRTAŞ DUMLUPINAR OSB. MH. MENEKŞE
SK. NO:15 , 16245 BURSA / TÜRKİYE

T. 0224 215 84 77

info@simgesoba.com
www.simgesoba.com